Setup e-mail on Mozilla Thunderbird

(i) You can ask your sysadmin to setup Autoconfig in your DNS to make the process of setting up Thunderbird much easier.

Step 1

To open the setup window for a new email account, you have multiple options:

- Click on Tools -> Account Settings -> Account Actions -> Add Mail Account.
- If your menus on the top are hidden, click on the ALT key to show them, or access Account Settings by clicking on the radiator icon, on the top
 right of the interface, then Options -> Account Setting -> Account Actions -> Add Mail Account.
- Click the menu icon New Existing Mail Account.

The Set Up Your Existing Email Address window will show.

Step 2

Enter the user's display name, full e-mail address and password:

Set Up Your Existing Email As	ddress	×
Set U	P Your Existing Email Address Use your current email address	
Your name:	John Doe	0
Email address:	john@mydomain.com	0
Password	••••••	ø
	Remember password	
Configure manually	Cgncel	⊆ontinue

Step 3

Click on Continue. Thunderbird will automatically find the proper server names if you have set the Autoconfig record in your DNS.



Your Existing Emu	all Address		×
Set	Up Your Existing Er Use your current emails	mail Address	
Your game:	John Doe		0
Email address:	john@mydomain.com		0
Eassword:			ø
	Repember password		
🗸 The fo	llowing settings were found by p	robing the given server	
		OUTGOING	
	INCOMING		
Protocok	INCOMING	SMTP	
Protocok Server	INCORING IMAP ····································	SMTP smtp.emailenzy.com	¥
Protocoli Server: Port	INADP *	SMTP smtp.emailanay.com 587	*
Protocok Server: Port: SSL:	INAP * Inap.omeileney.com IA3 * STARTTLS *	SMTP smtp.emailenzy.com 587 STARTTLS	*
Protocok Serven Pert SSL Authentication	INCOMING IMAP • Imap.omailenay.com 143 • STARTTLS • Nermal password •	SMTP smtp.emeilanay.com 587 STARTILS Normal pessword	* * *
Protocoli Server: Porti SSL: Authentication Username:	INCOMING BADD · imap.omailorioy.com 143 · STARTILS · Normal passward · john@mydomain.com	SMTP smtp.emailanay.com S87 STARTILS Normal password john@mydemain.com	* * *
Protocol Server: Pert SSL: Authentication Username:	INCORENCE Integround Participation Integround Participation StarTLS Neemal password John@mydomein.com	SMTP sets-enailensy.com SR7 Startt_S Normal password john@mydemain.com 	v v v

Step 4

Click on **Done** to finish the account setup. Wait for Thunderbird to synchronize the data.

Note that Thunderbird will automatically setup the account as IMAP. If you want to set up the account as POP, you have to setup the account manually. IMAP is recommended, as it's a protocol made to support several devices accessing one same account, with all folders synced at our server, which also guarantees that our backups will be executed.